

EAST - [Text_Search.wsp:1]

File View Edit Tools Window Help

Active

- L2: (9) 1 and driv\$3 and (current near2 (detect\$3 or sens\$3))
- L3: (7) 2 and timing and (threshold near2 voltage)
- L4: (6) 3 and start-up
- L1: (18) (discharge adj lamp) and ((ignition and time) same control\$4) and (overvoltage near2 protection)
- L12: (35) 11 and ((threshold or predetermined or preselected or predefined) near2 voltage)
- L11: (66) (start-up adj circuit) and (current near2 (detect\$3 or sens\$3)) and tim\$3 and ignition
- L13: (214) ((start-up or start\$3) adj circuit) and (current near2 (detect\$3 or sens\$3)) and ((tim\$3 and ignition) same control\$4)
- L14: (94) 13 and ((threshold or predetermined or preselected or predefined) near2 voltage)
- L15: (77) 14 and capacitor and resistor
- L16: (77) 15 and switch\$3
- L17: (66) 16 and discharg\$3 and charg\$3
- L18: (10) 17 and shutdown
- L19: (64) 17 and period
- L20: (10) 18 and 19

Failed

Saved

Favorites

Tagged (0)

UDC

Queue

Search Up Browse Queue Clear

DBs: USPAT, US-PGPUB, EPO, JPO, DERWENT

Plurals

Highlight all hit terms initially

Default operator: OR

BRS form B&R form Image Text HTML

	Type	L #	Hits	Search Text	DBs	Time Stamp	C	E	Err
1	BRS	L2	9	1 and driv\$3 and (current near2 (detect\$3 or sens\$3))	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/08/31 15:50			0
2	BRS	L3	7	2 and timing and (threshold near2 voltage)	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/08/31 16:33			0
3	BRS	L4	6	3 and start-up	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/08/31 16:12			0
4	BRS	L1	18	(discharge adj lamp) and ((ignition and time) same control\$4) and (overvoltage near2 protection)	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/08/31 16:20			0
5	BRS	L12	35	11 and ((threshold or predetermined or preselected or predefined) near2 voltage)	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/08/31 16:51			0
6	BRS	L11	66	(start-up adj circuit) and (current near2 (detect\$3 or sens\$3)) and tim\$3 and ignition	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/08/31 16:49			0
7	BRS	L13	214	((start-up or start\$3) adj circuit) and (current near2 (detect\$3 or sens\$3)) and ((tim\$3 and ignition) same control\$4)	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/08/31 16:51			0
8	BRS	L14	94	13 and ((threshold or predetermined or preselected or predefined) near2 voltage)	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/08/31 16:52			0
9	BRS	L15	77	14 and capacitor and resistor	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/08/31 16:53			0
10	BRS	L16	77	15 and switch\$3	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/08/31 16:53			0
11	BRS	L17	66	16 and discharg\$3 and charg\$3	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/08/31 16:53			0
12	BRS	L18	10	17 and shutdown	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/08/31 16:54			0
13	BRS	L19	64	17 and period	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/08/31 16:54			0
14	BRS	L20	10	18 and 19	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/08/31 16:55			0

EAST - [Text_Search.wsp:1]

File View Edit Tools Window Help

Search List Browse Queue Clear

DBs USPAT, US-PGPUB, EPO, JPO, DERWENT ☒ Plurals

Default operator: ☐ OR ☒ Highlight all hit terms initially

☐ BRS:
☐ BRS:
☐ ISNR:
☐ BRS:
☐ BRS:
☐ Pending
☒ Active
☐ L2: (1) (discharge adj lamp) and ((ignition adj tir
☐ L3: (14) (discharge adj lamp) and (overvoltage n
☐ L4: (10) 3 and (starter or ignitor or startup)
☐ L5: (5) (discharge adj lamp) and ((ignition adj tir
☐ L6: (1) ((ignition adj time) near2 control\$4) and
☐ Failed
☐ Saved
☐ Favorites
☐ Tagged (0)
☐ UDC
☐ Queue
☐ Trash

☒ BRS form
☐ IS&R form
☐ Image
☐ Text
☐ HTML

	Type	L #	Hits	Search Text	DBs	Time Stamp	C	E	Err
1	BRS	L2	1	(discharge adj lamp) and ((ignition adj time) near2 control\$4) and (current near2 (detect\$3 or sens\$3))	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/09/05 12:27			0
2	BRS	L3	14	(discharge adj lamp) and (overvoltage near2 protection) and (current near2 (detect\$3 or sens\$3)) and (timer or (tim\$3 adj circuit))	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/09/05 12:19			0
3	BRS	L4	10	3 and (starter or ignitor or startup)	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/09/05 12:20			0
4	BRS	L5	5	(discharge adj lamp) and ((ignition adj time) near2 control\$4)	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/09/05 12:27			0
5	BRS	L6	1	((ignition adj time) near2 control\$4) and lamp and (current near2 (detect\$3 or sens\$3))	USPAT, US-PGPUB, EPO, JPO, DERWENT	2004/09/05 12:28			0

☒ Hits
☐ Details
☐ HTML

EAST - [Text_Search.wsp:1]

File View Edit Tools Window Help

☐ BRS:
☐ Pending
☒ Active
☐ L1: (476) (discharge adj lamp) and (current near
☐ L2: (15) 1 and (ignition adj time) and control\$4
☐ L3: (172) (discharge adj lamp) and (current near
☐ L4: (164) 3 and (315/209R or 315/224 or 315/2
☐ Failed
☐ Saved
☐ Favorites
☐ Tagged (0)
☐ UDC
☐ Queue
☐ Trash

Search

DBs: ☒ Plurals
 Default operator: ☒ Highlight all hit terms initially

☒ BRS term ☒ ISAR term ☒ Image ☒ Text ☒ HTML

	Type	L #	Hits	Search Text	DBs	Time Stamp	C	E	Err
1	BRS	L1	476	(discharge adj lamp) and (current near2 (detect\$3 or sens\$3)) and tim\$3 and (starter or ignitor or start-up)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/05 14:07			0
2	BRS	L2	15	1 and (ignition adj time) and control\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/05 14:07			0
3	BRS	L3	172	(discharge adj lamp) and (current near2 (detect\$3 or sens\$3)) and (timer or (timing adj circuit)) and (starter or ignitor or start-up)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/05 14:08			0
4	BRS	L4	164	3 and (315/209R or 315/224 or 315/209T or 315/209CD or 315/307 or 315/308 or 315/360 or 315/DIG. *)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/05 14:09			0